




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>5</sup> : <b>A61N 1/14, 1/16</b>		<b>A1</b>	(11) International Publication Number: <b>WO 92/11899</b>
			(43) International Publication Date: <b>23 July 1992 (23.07.92)</b>
(21) International Application Number: <b>PCT/IT91/00038</b> (22) International Filing Date: <b>13 May 1991 (13.05.91)</b> (30) Priority data: 00051 A/91                      11 January 1991 (11.01.91)      IT (71) Applicant (for all designated States except US): <b>WOOL SERVICE S.R.L. [IT/IT]; Centro Commerciale "Il Girasole", Palazzo Marco Polo, 210, I-20084 Lacchiarella (IT).</b> (72) Inventor; and (75) Inventor/Applicant (for US only) : <b>OLIVA, Carlo [IT/IT]; Centro Commerciale "Il Girasole", Palazzo Marco Polo, 210, I-20084 Lacchiarella (IT).</b>		(74) Agent: <b>DI GIOVANNI, Italo; Ufficio Brevetti Dott. Ing. Digiovanni Schmiedt, Via Aldrovandi, 5, I-20129 Milano (IT).</b> (81) Designated States: <b>AT, AT (European patent), AU, BB, BE (European patent), BF (OAPI patent), BG, BJ (OAPI patent), BR, CA, CF (OAPI patent), CG (OAPI patent), CH, CH (European patent), CI (OAPI patent), CM (OAPI patent), DE, DE (European patent), DK, DK (European patent), ES, ES (European patent), FI, FR (European patent), GA (OAPI patent), GB, GB (European patent), GR (European patent), HU, IT (European patent), JP, KP, KR, LK, LU, LU (European patent), MC, MG, ML (OAPI patent), MR (OAPI patent), MW, NL, NL (European patent), NO, PL, RO, SD, SE, SE (European patent), SN (OAPI patent), SU, TD (OAPI patent), TG (OAPI patent), US.</b> Published With international search report.	

BEST AVAILABLE COPY

(54) Title: CLOTH FOR PROTECTION AGAINST TERRESTRIAL ELECTROMAGNETIC FIELDS



## (57) Abstract

Cloth (10) for protection against electromagnetic fields comprising a network (15) of copper made of electrolytic copper wires for the weft and strips of copper-cadmium wound spirally round a polyester or other kind of insulating core, for the warp, and a silvered layer (12) comprised between a sheet (21) of cotton fabric and one of felt (11) firmly associated by means of cross-wise quilting (22, 23), the purpose of the cloth being to absorb electrostatic energy, discharge it into the environment through the copper network (15) provided with means (26) for the purpose, and repel, by reflection towards the ground, the electromagnetic waves issuing therefrom by means of the silvered layer (13, 14).

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	RU	Russian Federation
CG	Congo	KP	Democratic People's Republic of Korea	SD	Sudan
CH	Switzerland	KR	Republic of Korea	SE	Sweden
CI	Côte d'Ivoire	LI	Liechtenstein	SN	Senegal
CM	Cameroon	LK	Sri Lanka	SU	Soviet Union
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
DE	Germany	MC	Monaco	TC	Togo
DK	Denmark			US	United States of America

CLOTH FOR PROTECTION AGAINST TERRESTRIAL ELECTROMAGNETIC FIELDS

The present utility model concerns cloths that give protection to persons against terrestrial electromagnetic fields.

- 5 The adverse effects caused to the human body by an accumulation of electrostatic charges and by electromagnetic waves are known to many.

Present protective measures and devices of various kinds give positive results only for one or other of these phenomena and only to a limited extent.

Greater effectiveness for respectively grounding the electric charges and for providing a screen against radiations generally is accompanied by excessive weight and by rigidity of the object used for these purposes.

- 15 The above invention offers an overall solution to the problem, as will be explained hereafter.

Subject of the invention is a cloth for protection from electromagnetic fields comprising a network of copper and a silvered sheet.

- 20 The copper network is there to absorb electrostatic energy from where it can be discharged into the environment while the purpose of the silvered layer is to reflect back to the ground the electromagnetic waves issuing from it.

The copper network is comprised within an insulating fabric formed of polyester threads or some other insulating material.

25 Upon one of the two faces of the copper network there is a layer of cotton or other insulating material while

on the other face, that of the silvered sheet, there is a non-woven polypropylene felt fabric or other insulating material. The copper network comprises electrolytic copper wires for the weft and, for the warp, copper-cadmium bands wound in a spiral round an insulating polyester core, or other material. The various components, namely layer of cotton material, insulating fabric with copper network, silvered sheet and felt, are firmly held together by quilting or crossed stitching.

In a preferred execution the copper wire diameter is between 10 mm 0.10 and 0.15, the PVC sheet silver coating is about 45 microns and felt thickness between 2 and 3 mm.

The copper network is earthed by a floor socket and wire to it. Said wire is provided with a diode to permit outflow of electromagnetic charges and prevent their entry.

15 Alternatively the copper network is connected to an antenna preferably of one or more wires, cords and the like left free in the environment, or other means.

Said antenna is also fitted with diodes.

The advantages of the invention are clear.

20 By association between copper network and silvered sheet, pathogenous radiations from the ground whether electrostatic charges or electromagnetic radiations, are repelled or absorbed and recharged into it thus partly or entirely preventing any possible harm to persons.

25 The double and simultaneous effect of reflection and absorption with discharge into the ground provides a comprehensive solution to the problem of terrestrial radiations of a harmful nature that is both simple and inexpensive. The adoption of fine copper conducting wires and of spiralling bands of copper-cadmium and of silvered sheets of 30 PVC, gives the maximum effect but also with maximum flexi-

bility and softness so that the characteristics of the woven or non-woven fabrics to which the first above mentioned are associated, are maintained practically unchanged. The resulting cloth is therefore extremely comfortable  
5 for the user while also giving maximum protection. Characteristics and purposes of the invention will become even clearer after the following explanation of an example here given illustrated by diagrammatic figures.

Fig. 1 Perspective view of a piece of the invented cloth  
10 partially folded back.

Fig. 2 Detail of the copper netting inside the cloth.

The cloth 10 comprises four main components laid one over another and all matching, namely a piece of polypropylene felt 11 of a few millimetres thick, a sheet 12 of PVC coated on each side, 13 and 14, with a silvered layer, a net-  
15 ting 15 formed of polyester threads, 16 and 17, for weft and warp with in between bare copper wires 18 for the weft and polyester wires 19 spirally wound with a bare cadmium strip 20 for the warp, and a piece of cotton fabric 21.

20 All these components are firmly associated together by the crosswise quilting 22 and 23.

The electric wire 26 connects the small plaque 24 fixed to the netting, created by the copper wires, to the floor socket 25. Said wire is provided with a diode 27.

25 To give an example, this cloth may be laid to great advantage on the springs of a bed with the felt downwards.

The copper netting is clearly an efficient absorber of electrostatic energy, discharging it into the ground.

The electromagnetic waves issuing from the ground would  
30 be reflected on the screen, created by the silvered coating to the PVC sheet, and reflected back to the ground.

CLAIMS

1. Cloth for protection against terrestrial electromagnetic fields characterized in that it comprises a copper network (15) and a silvered sheet (12), for the purpose of absorbing, and then discharging into the environment, electrostatic energy by means of the copper network (15) subsequently, by reflection, repelling to the earth the electromagnetic waves issuing therefrom, by means of the silvered layer (13) (14).
- 10 2. Cloth for protection against terrestrial electromagnetic fields, as in claim 1, characterized in that on one of the two sides of the copper netting (15) there is a sheet (21) of cotton or of some other insulating material.
- 15 3. Cloth for protection against terrestrial electromagnetic fields, as in claim 1, characterized in that on one of the two sides of the silvered sheet (12) there is a layer of non-woven felt (11) fabric of polypropylene or some other insulating material.
- 20 4. Cloth for protection against terrestrial electromagnetic fields, as in claim 1, characterized in that the copper network (15) is comprised within an insulating fabric.
5. Cloth for protection against terrestrial electromagnetic fields, as in claim 4,
- 25 characterized in that the insulating fabric is formed of threads (16) (17) (19) of polyester.
6. Cloth for protection against terrestrial electromagnetic fields, as in claim 1,
- 30 characterized in that the copper network comprises wires of electrolytic copper (18) for the weft and bands (20)

- 5 -

of copper-cadmium wound spirally round a core (19) of polyester or other insulating material, for the warp.

7. Cloth for protection against terrestrial electromagnetic fields, as in claim 1,

5 characterized in that the copper network (15) and the silvered sheet (12) are comprised between two bodies (11)(21) of woven or non-woven fabric or other insulating material, the various components being firmly held together by cross-wise quilting or stitching (22) (23).

10 8. Cloth for protection against terrestrial electromagnetic fields, as in claim 1, characterized in that the diameter of the copper wires (18) (19) is comprised between 0.10 and 0.15 mm.

9. Cloth for protection against terrestrial electromagnetic fields, as in claim 1, 15 characterized in that the silvered coating (13) (14) of the sheet (12) is about 45 microns thick.

10. Cloth for protection against terrestrial electromagnetic fields, as in claim 3, 20 characterized in that the felt (21) is between 2 and 3 mm thick.

11. Cloth for protection against terrestrial electromagnetic fields, as in claim 1, characterized in that the copper network (15) is connected to a socket (25) on the floor by means of a cable (26) 25 for that purpose.



12. Cloth for protection against terrestrial electromagnetic fields, as in claim 11, characterized in that the cable (26) comprises a diode (27).

30 13. Cloth for protection against terrestrial electromagnetic fields, as in claim 1,

characterized in that the copper network (15) is connected to an antenna for releasing electromagnetic charges into the environment.

14. Cloth for protection against electromagnetic fields  
5 as in claim 13,  
characterized in that the antenna comprises one or more diodes.






## INTERNATIONAL SEARCH REPORT

International Application No

PCT/IT 91/00038

<b>I. CLASSIFICATION OF SUBJECT MATTER</b> (if several classification symbols apply, indicate all) <sup>6</sup>		
According to International Patent Classification (IPC) or to both National Classification and IPC Int.Cl. 5                      A61N1/14 ;      A61N1/16		
<b>II. FIELDS SEARCHED</b>		
Minimum Documentation Searched <sup>7</sup>		
Classification System	Classification Symbols	
Int.Cl. 5	A61N ;                      G21F ;                      A41D	
Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched <sup>8</sup>		
<b>III. DOCUMENTS CONSIDERED TO BE RELEVANT<sup>9</sup></b>		
Category <sup>o</sup>	Citation of Document, <sup>11</sup> with indication, where appropriate, of the relevant passages <sup>12</sup>	Relevant to Claim No. <sup>13</sup>
A	DE,A,3 417 895 (SCHULTE-UEBBING) November 14, 1985 see the whole document ---	1-7
A	GB,A,2 227 931 (COGHILL) August 15, 1990 see abstract see page 1, line 1 - line 15 ---	1
A	DE,U,8 712 994 (SÖCKE) December 23, 1987 see page 1; claim 1 ---	1
A	DE,A,3 407 319 (PISTOR) August 29, 1985 see abstract ---	11
A	EP,A,0 099 872 (KUNNEN) February 1, 1984 see claims 1,2 ---	13
A	DE,A,3 707 238 (KOLCKMANN) September 15, 1988 see abstract; claims 1-14 ---	1
-/-		
<sup>o</sup> Special categories of cited documents : <sup>10</sup> "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family		
<b>IV. CERTIFICATION</b>		
Date of the Actual Completion of the International Search  30 SEPTEMBER 1991	Date of Mailing of this International Search Report  - 9. 11. 91	
International Searching Authority  EUROPEAN PATENT OFFICE	Signature of Authorized Officer  TACCOEN J-F. P. L. 	

Form PCT/ISA/210 (second sheet) (January 1985)

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)		
Category °	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No.
A	EP,A,0 131 636 (ESPER) January 23, 1985 see page 2, line 16 - page 3, line 5 ---	1

**ANNEX TO THE INTERNATIONAL SEARCH REPORT  
ON INTERNATIONAL PATENT APPLICATION NO.**

IT 9100038  
SA 47226

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.  
The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

30/09/91

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
DE-A-3417895	14-11-85	None	
GB-A-2227931	15-08-90	None	
DE-U-8712994	23-12-87	AT-B- 389035 CH-A- 666993	10-10-89 15-09-88
DE-A-3407319	29-08-85	None	
EP-A-0099872	01-02-84	BE-A- 893874	16-11-82
DE-A-3707238	15-09-88	None	
EP-A-0131636	23-01-85	AU-A- 2951084 JP-A- 60035915	13-06-85 23-02-85

EPO FORM P447

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

**THIS PAGE BLANK (USPTO)**